



Ref. Certif. No.

SI-6220

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME**CB TEST CERTIFICATE**

Product

Switching power supply for building-in

Name and address of the applicant

ARCH Electronics Corp.
3F., No. 79, Sec. 1, Hsin Tai Wu Rd.
Sijhih City, Taipei County TW-221, Taiwan

Name and address of the manufacturer

ARCH Electronics Corp.
3F., No. 79, Sec. 1, Hsin Tai Wu Rd.
Sijhih City, Taipei County TW-221, Taiwan

Name and address of the factory

ARCH Electronics Corp.
3F., No. 79, Sec. 1, Hsin Tai Wu Rd.
Sijhih City, Taipei County TW-221, Taiwan*Note: When more than one factory, please report on page 2* Additional Information on page 2

Ratings and principal characteristics

See page 2.

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

MQF500E-xS, MQF500O-xS, MQF500U-xS
where "x" can be 9 ~12,48; 18 ~ 24,96; 36 ~ 49,92

Additional information (if necessary may also be reported on page 2)

This CB test certificate substitutes previously issued CB test certificate No. SI-6073, dated 2017-08-09, due to update of test report.

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1:2005 (2nd Ed.) + A1:2009 + A2:2013

As shown in the Test Report Ref. No. which forms part of this Certificate

T223-0456/17, dated 2017-09-29

This CB Test Certificate is issued by the National Certification Body

SIQ Ljubljana, Tržaška cesta 2, SI-1000 Ljubljana, Slovenia
T +386 1 4778 100, F +386 1 4778 444, info@siq.si, www.siq.si

SIQ Ljubljana is accredited by Slovenian Accreditation with accreditation number CP-001 in the field of certification of products, processes and services.

Date: 2017-09-29

Signature: Zoran Svetik

Ratings and principle characteristics:**Input:**

100-240 Vac; 50-60 Hz; 6,3 Amax

Output:

MQF500E-xS, MQF500O-xS, MQF500U-xS

where "x" can be 9 ~12,48: 9 ~12,48 Vdc; 41,5 A; Max. 500 W

where "x" can be 18 ~ 24,96: 18 ~ 24,96 Vdc; 20,8 A; Max. 500 W

where "x" can be 36 ~ 49,92: 36 ~ 49,92 Vdc; 10,41 A; Max. 500 W

Additional information (if necessary)

Date: 2017-09-29

Signature: Zoran Svetik

